

MAHARASHTRA STATE POWER GENERATION COMPANY LTD.



Bhusawal Thermal Power Station, Deepnagar

(A Govt. Of Maharashtra Undertaking)

CIN: U40100MH2005SGC153648

An ISO 9001:2015, ISO 14001:2015
ISO 45001:2018, EnMS 50001:2011
Certified Units

Office of **Dispatch
RP Section**
The Chief Engineer (O&M)
Bhusawal Thermal Power Station
Deepnagar, Tal. - Bhusawal
Dist - Jalgaon (M.S.) PIN - 425307

No. BTPS/CE (O&M)/RP/Press Release/Tender Notice No. **20/2024-25**

Date: **14/09/2024**

To,
M/s. Giri Media Services Pvt Ltd.
205/206, 2nd Floor, Benchmark,
Shri Shri Ravishankar Marg,
DGP Nagar No.1, Nashik- 422006
Contact: 0253 2958585
Mail ID: response@girimedia.ina

No 0987

14 SEP 2024

Subject: Publication of Rfx Notice No. **20/2024-25/**

Reference: T.O. Order No. BTPS/4550022512/ No. 0391 Dated 21-05-2024.

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender Notice for publication in following newspapers;

Sr. No	Newspaper	City
1	D. Loksatta	Nagpur
2	D. LOkmanthan	Mumbai
3	D. Divya marathi	Nashik
4	D.Deshdoot	Jalgaon
5	D. Deshonati	Akola
6	D. Chandrapur Samachar	Chandrapur

Please insert the enclosed Tender Notice in the next immediate issue of daily, but in no case after the date **15-09-2024** as per instructions given below:

1. The Advertisement shall be printed in English or Marathi language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left hand corner at the top of the advertisement.
4. In case of single column advertisement the Heading such as "Tender Notice/corrigendum" & "Tender Specifications No." should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice / Corrigendum" & "Tender Specifications No." should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.

PHONE: - (02582) 250207.
FAX No.: - (02582) 250308.


Website : www.mahagenco.in
Email: cegenbhusawal@mahagenco.in

8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case it should exceed 10 points for English and 12 points for Marathi.
9. Spacing / leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co. Ltd." shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No / Telephonic address / Telephone Number & Name of Officer shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Enclosure: As above.

Yours faithfully,


Chief Engineer (O&M)
BTPS, Deepnagar

Copy f.w.cs. to : (By E-mail)

1. The Chief Engineer (O&M), Koradi/Chandrapur/Khaperkheda/Parli/Nasik/ Paras/Uran.
2. The Chief Engineer, Civil-II /Gen Constn. /Training Center, Koradi /Nashik.

Copy to: (By E-mail)

1. Dy. Chief Engineer (210 MW & 2x500MW), BTPS, Bhusawal.
2. SE (210 MW & 2x500MW), BTPS, Bhusawal.
3. System Analyst (IT), BTPS --- Kindly arrange to publish this e-tender notice on www.mahagenco.in under Bhusawal Tenders.
4. Sr. Manager(F&A), BTPS
5. Public Relation Officer, Mahagenco, Prakash Garh, Bandra (E), Mumbai-51.
6. EE (CHP / EM / C&I / TM/ BM/ VM/ Technical/WTP/ MS/FQAD/ WTP/ Safety/ OS/Civil/ AHP/MPD), BTPS 2x500MW & 210 MW, Bhusawal.
7. Executive Chemist / Medical Superintendent / Welfare Officer / Dy. CFO BTPS Bhusawal.
8. Other private / Government Power Plants / State Electricity Board (NTPC, Tata Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujarat Electricity Board (GEB), etc)


** With a request to arrange to display the enclosed Tender Notice on your Office Notice-Board.

9. Notice Board: All Sections, BTPS.

भुसावळ औष्णिक विद्युत केंद्राकडून खालील पुरवठा / कामांसाठी ऑनलाईन निविदा मागविल्या जात आहेत.

अनु. क्र.	निविदा क्र. / विभाग	निविदा तपशील	निविदेची अंदाजित किंमत / बयाना रक्कम (रु.)
१	३००००५१८०८ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग मधील वॅगन टिपलर्सना ड्राय फॉग डस्ट सप्लेशन सिस्टीम प्रदान करण्यासाठी आणि प्रसतापित करण्यासाठी कामाचा करार.	रु २,१३,८०,०००/- रु. २,१७,३००/-
२	३००००४९८७७ बाष्प संधारण विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र येथे २x ५०० मे. वॅ बॉयलरवर स्थापित PA फॅन AP२ - २०/१२ आणि FD फॅन AP१ - २६/१६ साठी ब्लेड सेटची खरेदी.	रु १,२०,२०,०००/- रु. १,२३,७००/-
३	३००००५१८०४ बाष्प संधारण विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र येथे २x ५०० मे. वॅ मध्ये युनिट-५ मध्ये स्थापित बॉयलर, फ्लू गॅस डक्ट्स ESP आणि स्टीम पाइपलाइनसाठी थर्मल इन्सुलेशन रॉकवूल आणि क्लॅडिंग मेटल शीट्सची खरेदी.	रु ७६,६०,०००/- रु. ८०,१००/-
४	३००००५१५४५ विदूत परिरक्षण विभाग २x ५०० मे. वॅ.	भु.औ.वि.केंद्र येथे २x ५०० मे. वॅ NCCC तंत्राचा वापर करून सर्व प्रकारच्या पॅनेलमधून चिकटलेले दूषित घटक काढून टाकण्याचे काम ऑनलाईन.	रु ६८,२०,४६४/- रु. ७१,७००/-
५	३००००५१७८८ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग येथे कोळसा गळती रोखण्यासाठी आणि गळती नियंत्रण असेंब्लीच्या दुरुस्तीसाठी कामाचा करार.	रु ५४,४२,०००/- रु. ५७,९००/-
६	३००००५१७५७ कोळसा हाताळणी विभाग २१० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग २१० मे. वॅ मध्ये कोळसा प्रवाह प्रस्थापित करण्यासाठी मोठ्या आकाराचा कोळसा/दगड विदेशी मटेरिअल पृथक्करणासाठी कामाचा करार.	रु ४८,७८,७२०/- रु. ५२,३००/-
७	३००००५१४७१ बाष्प संधारण विभाग २१० मे. वॅ	भु.औ.वि.केंद्र येथे २x ५०० मे. वॅ च्या युनिट ३ साठी कोळसा मिल डक्टिंगचे फॅब्रिकेशन AOH दरम्यान बदलण्याचे काम	रु. ३८,००,०००/- रु. ४१,५००/-
८	३००००५१८२३ जल संधारण विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र येथे जल संधारण विभाग २१० मे. वॅ आणि २x ५०० मे. वॅ साठी एल्युमिना फेरिकची खरेदी.	रु ३२,५३,८००/- रु. ३६,०००/-
९	३००००५१७३१ कोळसा हाताळणी विभाग २१० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग येथे कन्व्हेयर १०६ A आणि १०६ B कन्व्हेयरसाठी पूर्ण स्कर्ट बोर्ड असेंब्लीचा पुरवठा, फॅब्रिकेशन, इन्स्टॉलेशन आणि कमिशनिंगसाठी कामाचा करार.	रु. २६,६४,०००/- रु. ३०,१००/-

निविदा खर्च १,१८०/- (जीएसटी सहित) आहे. अधिक माहितीसाठी कृपया भेट द्या. <https://eprocurement.mahagenco.in/>.


मुख्य अभियंता (सं.आणि सु.),
भु. औ. वि. कें. दीपनगर.

Date-14/09/2024

E-Tender Notice No. 20/2024-25

Online Tenders are invited from Bhusawal Thermal Power Station for the following supply/works.

Sr. No	(e-Tender) Rfx No. / Section Name	Tenders Specification	Estimated value of tender /EMD (Rs.)
1	RFX- 30000 51808	Work contract for providing and fixing of Dry Fog Dust suppression system to wagon Tipplers in CHP-BTPS.	Rs. 2,13,80,000/-
	Coal Handling Plant		Rs. 2,17,300 /-
2	RFX- 30000 49877	Procurement of blade sets for PA fan AP2-20/12 and FD fan AP1-26/16 installed at Boiler in 2x500MW Bhusawal TPS.	Rs. 1,20,20,000/-
	Boiler Maintenance		Rs. 1,23,700 /-
3	RFX- 30000 51804	Procurement of Thermal Insulation rockwool mattresses & cladding Metal sheets for Boiler,Flue gas ducts ESP & steam pipelines installed at Unit-5 in 2x500MW,BTPS.	Rs. 76,60,000/-
	Boiler Maintenance		Rs. 80,100 /-
4	RFX- 30000 51545	Work of On-line through removal of adhered contaminants from all types of panels by using NCCC technique at BTPS 2x500MW.	Rs. 68,20,464/-
	Electrical Maintenance		Rs. 71,700 /-
5	RFX- 30000 51788	Work contract for prevention of coal leakages & rectification of spillage control assembly at CHP,BTPS.	Rs. 54,42,000/-
	Coal Handling Plant		Rs. 57,900 /-
6	RFX- 30000 51757	Work contract for segregation big size coal /stone lamps,foreign material to establish coal flow in CHP 210MW-BTPS.	Rs. 48,78,720/-
	Coal Handling Plant		Rs. 52,300 /-
7	RFX- 30000 51471	Work of fabrication and replacement of coal mill ducting for unit 3 of 210MW at BTPS, Bhusawal during AOH.	Rs. 38,00,000/-
	Boiler Maintenance		Rs. 41,500 /-
8	RFX- 30000 51823	Procurement of Alumina Ferric for WTP 210MW & 500MW at BTPS.	Rs. 32,53,800/-
	Water Treatment Plant		Rs. 36,000 /-
9	RFX- 30000 51731	Work contract for Supply ,fabrication,installation & commissioning of Complete Skirt Board assemblies for conveyor 106A & 106B conveyors at CHP-BTPS.	Rs. 26,64,000/-
	Coal Handling Plant		Rs. 30,100 /-

Tender Cost is Rs 1,180/- (Including GST). For details please visit <https://eprocurement.mahagenco.in/>.


Chief Engineer (O&M) ,
BTPS, Deepnagar.