MAHARASHTRA STATE POWER GENERATION COMPANY LTD.

Bhusawal Thermal Power Station, Deepnagar.

(A Govt. Of Maharashtra Undertaking)

CIN: U40100MH2005SGC153648

An ISO 9001:2015, ISO 14001:2015
ISO 45001:2018, EnMS 50001:2011
Certified Units

Dispatch
RP Section

MAHAGENCO
Maharashtra State Power Generation Co. Ltd.

Office of
The Chief Engineer (O&M)
Bhusawal Thermal Power Station
Deepnagar, Tal. - Bhusawal
Dist – Jalgaon (M.S.) PIN – 425307

No. BTPS/CE (O&M)/RP/Press Release/Tender Notice No. **29/2026-27** Date: **07/11/2026**

No 1295 07 NOV 2026

To,
M/s. Giri Media Services Pvt Ltd.
205/206, 2nd Floor, Benchmark,
Shri Shri Ravishankar Marg,7
DGP Nagar No.1, Nashik- 422006
Contact: 0253 29585858
Mail ID: response@girimedia.ina

Subject: Publication of Rfx Notice No. **29/2026-27**

Reference: T.O. Order No. BTPS/4550030164/ No. 0719 Dated 23-07-2026.

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender Notice for publication in following newspapers.

Sr. No	Newspaper	City
1	D. Dainik Bhaskar	Nagpur
2	D. Divya Marathi	Jalgaon
3	D. Lokmat	Akola
4	D. Deshdoot	Jalgaon
5	D. Navrashtra	Nashik
6	D. Kesari	Pune

Please insert the enclosed Tender Notice in the next immediate issue of daily, but in no case after the date **09/11/2026 as** per instructions given below:

1. The Advertisement shall be printed in English or Marathi language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single columns and for more columns.
3. For a single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
4. In case of single column advertisement, the Heading such as "Tender Notice/corrigendum" & "Tender Specifications No." should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice / Corrigendum" & "Tender Specifications No." should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.

8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case it should exceed 10 points for English and 12 points for Marathi.
9. Spacing / leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
    b) The word "Maharashtra State Power Generation Co. Ltd." shall not be printed anywhere even at the top or bottom as it is present in the emblem.
    c) For no reason Telex No / Telephonic address / Telephone Number & Name of Officer shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
    a) Two copies of your issue in which the advertisement is published.
    b) One copy of your daily in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Enclosure: As above.

Yours faithfully,

Chief Engineer (O&M)
BTPS, Deepnagar

Copy f.w.cs. to: (By E-mail)
1. The Chief Engineer (O&M), Koradi/Chandrapur/Khaperkheda/Parli/Nasik/ Paras/Uran.
2. The Chief Engineer, Civil-II /Gen Constn. /Training Center, Koradi /Nashik.

Copy to: (By E-mail)
1. Dy. Chief Engineer (210 MW & 2x500MW), BTPS, Bhusawal.
2. SE (210 MW & 2x500MW), BTPS, Bhusawal.
3. System Analyst (IT), BTPS --- Kindly arrange to publish this e-tender notice on **www.mahagenco.in** under Bhusawal Tenders.
4. Sr. Manager(F&A), BTPS
5. Public Relation Officer, Mahagenco, Prakash Garh, Bandra (E), Mumbai-51.
6. EE (CHP / EM / C&I / TM/ BM/ VM/ Technical/WTP/ MS/FQAD/ WTP/ Safety/ OS/Civil/ AHP/MPD), BTPS 2x500MW & 210 MW, Bhusawal.
7. Executive Chemist / Medical Superintendent / Welfare Officer / Dy. CFO BTPS Bhusawal.
8. Other private / Government Power Plants / State Electricity Board (NTPC, Tata Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujarat Electricity Board (GEB), etc)

   ** With a request to arrange to display the enclosed Tender Notice on your Office Notice-Board.

9. Notice Board: All Sections, BTPS.

Date- 07-11-2026

E-Tender Notice No. – **29/2026-27**

Online Tenders are invited from Bhusawal Thermal Station for the following supply/works.

Sr. No	(e-Tender) Rfx No. / Section Name	Tenders Specification	Estimated value of tender /EMD (Rs.)
1	RFX- 3000073311 Boiler Maintenance	Work contract for Servicing of Burner Tilt Mechanism and replacement of coal compartment in boiler Unit # 06 (660MW) during overhaul at BTPS.	Rs.52,26,868/- Rs. 55,800/-
2	RFX- 3000073116 Coal Testing	Bi-Yearly contract for Collection of bunkered coal samples, coal mill fineness, fly ash, bottom ash samples, assistance during bunkered coal samples preparation and testing of flue gas, Oxygen at I.D. fan outlet of Boilers of 2x500 MW, BTPS, Deepnagar.	Rs.44,01,629/ Rs. 47,500/-
3	RFX- 3000073167 Boiler Maintenance	Work of internal inspection & repairing of ESP in 660MW BTPS, Deepnagar, during AOH of unit-6 at 660MW, Bhusawal TPS.	Rs.41,56,344/- Rs. 45,100/-
4	RFX- 3000073289 Boiler Maintenance	Work Contract for In-Situ Repairing of High-Pressure Valves and Safety Valves in Boiler during Annual Overhaul (AOH) of Unit-6 (1 × 660 MW) at Bhusawal TPS.	Rs.40,38,679/- Rs. 43,900/-
5	RFX- 3000073003 Civil	Work contract for miscellaneous civil maintenance works at 660 MW BTPS, Deepnagar.	Rs.39,53,593/- Rs. 43,000/-
6	RFX- 3000073156 Boiler Maintenance	Contract for mechanical maintenance/servicing of ID fans (NDZV 47 SIDOR), FD fans (AP1-26/16) and PA fans (AP2-20/12) on as and when required basis for one year in Unit-4&5, 2X500MW BTPS Bhusawal.	Rs.35,71,310/- Rs. 39,200/-
7	RFX- 3000073157 Turbine Maintenance	Procurement of FRF oil filters installed at 2x500MW, BTPS, Deepnagar.	Rs.34,84,800/- Rs. 38,300/-
8	RFX- 3000073263 Civil	Work contract for replacement of cladding sheet of boiler lift, machine room & boiler roof rectification work at 86 Mtr. height in power house area at TPS Deepnagar.	Rs.32,71,999/- Rs. 36,200/-

Tender Cost is Rs 1,180/- (Including GST). For details, please visit https://eprocurement.mahagenco.in/.

Chief Engineer (O&M),
BTPS, Deepnagar.

तारीख – ०७/११/२०२६

ई-निविदा सूचना क्र. २९/२०२६ -२७

भुसावळ औष्णिक विद्युत केंद्राकडून खालील पुरवठा / कामांसाठी ऑनलाईन निविदा मागविल्या जात आहेत.

अनु. क्र.	निविदा क्र. / विभाग	निविदा तपशील	निविदेची अंदाजित किंमत / बयाना रक्कम (रु.)
१	३०००० ७३३११ बाष्पक संधारण - १ x ६६० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील युनिट-६ (६६० मेगावॅट) मधील ओव्हरहॉल दरम्यान बर्नर टिल्ट मेकॅनिझमची सर्व्हिसिंग आणि कोळसा कंपार्टमेंट बदलण्याच्या कामाचे कंत्राट	रु. ५२,२६,८६८/- रु. ५५,८००/-
२	३०००० ७३११६ कोळसा चाचणी विभाग- २१० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील २x५०० मेगावॅट क्षमतेच्या बॉयलरच्या आय.डी. फॅन आउटलेटवरील बंकर केलेल्या कोळशाचे नमुने, कोळसा गिरणीतील बारीकपणा, फ्लाय ॲश, बॉटम ॲश यांचे नमुने गोळा करणे, बंकर केलेल्या कोळशाचे नमुने तयार करताना साहाय्य करणे आणि फ्लू गॅस व ऑक्सिजनची चाचणी करणे यासाठीचे द्विवार्षिक कंत्राट.	रु. ४४,०१,६२९/- रु. ४७,५००/-
३	३०००० ७३१६७ बाष्पक संधारण - १ x ६६० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील ६६० मेगावॅट क्षमतेच्या युनिट-६ च्या वार्षिक देखभाल दुरुस्ती (AOH) दरम्यान, ईएसपी (ESP) च्या अंतर्गत तपासणीचे आणि दुरुस्तीचे काम.	रु. ४१,५६,३४४/- रु. ४५,१००/-
४	३०००० ७३२८९ बाष्पक संधारण १ x ६६० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील , युनिट-६ (१ × ६६० मेगावॅट) च्या वार्षिक देखभाल दुरुस्ती (AOH) दरम्यान, बॉयलरमधील उच्च-दाब व्हॉल्व्ह (High-Pressure Valves) आणि सुरक्षा व्हॉल्व्ह (Safety Valves) यांची त्यांच्या जागेवरच (In-Situ) दुरुस्ती करण्याबाबतचा कार्य करार.	रु. ४०,३८,६७९/- रु. ४३,९००/-
५	३०००० ७३००३ स्थापत्य विभाग – ६६० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील ६६० मेगावॅट येथे विविध इमारत आणि बांधकाम देखभाल कामांसाठीचा कार्य करार.	रु. ३९,५३,५९३/- रु. ४३,०००/-
६	३०००० ७३१५६ बाष्पक संधारण -२ x ५०० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील युनिट ४ आणि ५, २x५०० मेगावॅट येथील ID फॅन्स (NDZV 47 SIDOR), FD फॅन्स (AP1-26/16) आणि PA फॅन्स (AP2-20/12) यांच्या यांत्रिक देखभाल/सर्व्हिसिंगसाठी, गरजेनुसार (as and when required) काम करण्याच्या अटीवर एक वर्षाचा करार.	रु. ३५,७१,३१०/- रु. ३९,२००/-
७	३०००० ७३१५७ चक्रसंधारण-२x५०० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील २x५०० मेगावॅट (MW) येथे बसवलेल्या एफआरएफ (FRF) ऑईल फिल्टरची खरेदी.	रु. ३४,८४,८००/- रु. ३८,३००/-
८	३०००० ७३२६३ स्थापत्य विभाग -२ x ५०० मे वॅ	भु.औ.वि.केंद्र , दिपनगर येथील , पॉवर हाऊस परिसरात, ८६ मीटर उंचीवर असलेल्या बॉयलर लिफ्ट आणि मशीन रूमच्या क्लॅडिंग शीट बदलण्याचे काम, तसेच बॉयलरच्या छताच्या दुरुस्तीचे काम करण्याबाबतचा कार्यादेश.	रु. ३२,७१,९९९/- रु. ३६,२००/-

निविदा खर्च १ ,१८०/ - (जीएसटी सहित) आहे. अधिक माहितीसाठी कृपया भेट द्या. https://eprocurement.mahagenco.in/.

मुख्य अभियंता (सं.आणि सु.),
भु. औ. वि. कें, दीपनगर.