

MAHARASHTRA STATE POWER GENERATION COMPANY LTD.

Bhusawal Thermal Power Station, Deepnagar.

(A Govt. Of Maharashtra Undertaking)

CIN: U40100MH2005SGC153648

An ISO 9001:2015, ISO 14001:2015

ISO 45001:2018, EnMS 50001:2011

Certified Units

Office of
The Chief Engineer (O&M)

Bhusawal Thermal Power Station

Deepnagar, Tal. - Bhusawal

Dist - Jalgaon (M.S.) PIN - 425307

MAHAGENCO
Maharashtra State Power Generation Co. Ltd.

No. BTPS/CE (O&M)/RP/Press Release/Tender Notice No. H.O./02/2024

Date: 16/10/2024

To,
M/s. Shark Advertising Pvt Ltd.
Mumbai

No 2019

16 OCT 2024

Subject: Publication of Rfx Notice No. H.O./02/2024

Reference: Work order issued vide CPC/PRO/WO/Appointment/Advt.Agency/2023-2025/DGIPR-DAVP-Govt.rates/91/333,Dtd. 12/04/2023 and continuation Letter No. CP&C/PRO/Advt.Agency/Continuation/Shark Advertising PVT .LTD/106/3813,Dtd.10/04/2024.

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender Notice for publication in following newspapers;

Sr. No	Newspaper	City
1	D. TIMES OF INDIA	MUMBAI,DELHI,NAGPUR
2	D. LOKMAT	NAGPUR,CHHATRAPATI SAMBHAJI NAGAR
3	D. BHASKAR	MUMBAI,NAGPUR,AKOLA
4	D. DIVYA MARATHI	NASHIK,JALGAON,DHULE
5	D. AAPLA MAHANAGAR	MUMBAI
6	D. DESHDOOT	JALGAON

Please insert the enclosed Tender Notice in the next immediate issue of daily, but in no case after the date **18-10-2024** as per instructions given below:

1. The Advertisement shall be printed in English or Marathi language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left hand corner at the top of the advertisement.
4. In case of single column advertisement the Heading such as "Tender Notice/corrigendum" & "Tender Specifications No." should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice / Corrigendum" & "Tender Specifications No." should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.

PHONE: - (02582) 250207.

FAX No.: - (02582) 250308.

Website : www.mahagenco.in


Email: cegenbhusawal@mahagenco.in

8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case it should exceed 10 points for English and 12 points for Marathi.
9. Spacing / leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co. Ltd." shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No / Telephonic address / Telephone Number & Name of Officer shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Enclosure: As above.

Yours faithfully,


Chief Engineer (O&M)
BTPS, Deepnagar

Copy f.w.cs. to : (By E-mail)

1. The Chief Engineer (O&M), Koradi/Chandrapur/Khaperkheda/Parli/Nasik/ Paras/Uran.
2. The Chief Engineer, Civil-II /Gen Constn. /Training Center, Koradi /Nashik.

Copy to: (By E-mail)

1. Dy. Chief Engineer (210 MW & 2x500MW), BTPS, Bhusawal.
2. SE (210 MW & 2x500MW), BTPS, Bhusawal.
3. System Analyst (IT), BTPS --- Kindly arrange to publish this e-tender notice on www.mahagenco.in under Bhusawal Tenders.
4. Sr. Manager(F&A), BTPS
5. Public Relation Officer, Mahagenco, Prakash Garh, Bandra (E), Mumbai-51.
6. EE (CHP / EM / C&I / TM/ BM/ VM/ Technical/WTP/ MS/FQAD/ WTP/ Safety/ OS/Civil/ AHP/MPD), BTPS 2x500MW & 210 MW, Bhusawal.
7. Executive Chemist / Medical Superintendent / Welfare Officer / Dy. CFO BTPS Bhusawal.
8. Other private / Government Power Plants / State Electricity Board (NTPC, Tata Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujarat Electricity Board (GEB), etc)

**** With a request to arrange to display the enclosed Tender Notice on your Office Notice-Board.**

9. Notice Board: All Sections, BTPS.

भुसावळ औष्णिक विद्युत केंद्राकडून खालील पुरवठा / कामांसाठी ऑनलाईन निविदा मागविल्या जात आहेत.

अनु. क्र.	निविदा क्र. / विभाग	निविदा तपशील	निविदेची अंदाजित किंमत / बयाना रक्कम (रु.)
१	३००००५२३०७ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग मध्ये बंकरिंग कन्हेयरचे सुधारणे, ग्रॅव्हिटी टेक-अप आणि ड्राइव्ह ऑगमेंटेशनचे कंत्राट.	रु ९,४३,२०,००० /- रु. ५,००,००० /-
२	३००००५२४०७ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी प्लांट मध्ये हवा आणि वायुवीजन प्रणालीचे सुधारणे आणि सुधारणा करण्याचे काम.	रु ७,५०,०००,०० /- रु. ५,००,००० /-
३	३०००५२४०२ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	कोळसा हाताळणी विभाग २x ५०० मे. वॅ येथे कन्हेयर १०८अ आणि ब येथे झेड पॉइंटची रचना, अभियांत्रिकी, दुरुस्ती, उभारणी आणि चालू करण्याचे कंत्राट.	रु ६,८०,३२,९७६ /- रु. ५,००,००० /-
४	३०००५२४०३ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग मध्ये वॉल्वर फीडर च्या प्राप्ती आणि डिस्चार्ज च्युट्सचे डिझाईन, अभियांत्रिकी, उभारणी करण्याचे काम.	रु ५,२०,००,००० /- रु. ५,००,००० /-
५	३००००५२४०६ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग मध्ये स्थापित स्कूप कूलिंग सिस्टमचे सुधार करण्याचे कंत्राट	रु ४,१५,००,००० /- रु. ४,१८,५०० /-
६	३००००५२४०५ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	कोळसा हाताळणी विभागमधील संयंत्रामध्ये स्ट्रक्चरल अपग्रेडेशन आणि रिहर्सिबल यार्ड कन्हेयरचे पुनर्वसन करण्याचे काम.	रु ३,५०,०० ००० /- रु. ३,५३,५०० /-
७	३००००५२४०४ कोळसा हाताळणी विभाग २x ५०० मे. वॅ	भु.औ.वि.केंद्र कोळसा हाताळणी विभाग मध्ये डीवॉटरिंग सिस्टमचे पुनः संयोजन आणि सुधारणा करण्याचे काम.	रु ३,२६,००,००० /- रु. ३,२९,५०० /-

निविदा खर्च १,१८०/- (जीएसटी सहित) आहे. अधिक माहितीसाठी कृपया भेट द्या. <https://eprocurement.mahagenco.in/>.

मुख्य अभियंता (सं.आणि सु.),
भु. औ. वि. कें. दीपनगर.

Online Tenders are invited from Bhusawal Thermal Power Station for the following supply/works.

Sr. No	(e-Tender) Rfx No. / Section Name	Tenders Specification	Estimated value of tender /EMD (Rs.)
1	RFX- 30000 52307	Revamping ,Modification of Gavity take -up and Drive Augmentation of Bunkering Conveyor in CHP BTPS.	Rs. 9,43,20,000/-
	Coal Handling Plant		Rs. 4,00,000 /-
2	RFX- 30000 52407	Work of Revamping and up-gradation of air & ventilation system in coal Handling Plant -BTPS.	Rs. 7,50,000,00/-
	Coal Handling Plant		Rs. 5,00,000 /-
3	<u>RFX- 3000052402</u> Coal Handling Plant	Design, Engineering ,Rectification , Erection & Commissioning of Z Point at Conveyor 108A & B at CHP-500MW.	<u>Rs. 6,80,32,976/-</u> Rs.4,00,000 /-
4	RFX- 30000 52403	Work of Design, Engineering , Erection and Commissioning of Receiving and discharge chutes of wobbler feeder in CHP BTPS.	Rs. 5,20,00,000/-
	Coal Handling Plant		Rs. 5,00,000 /-
5	RFX- 30000 52406	Revamping of scoop cooling system installed in Coal handling plant BTPS.	Rs. 4,15,00,000/-
	Coal Handling Plant		Rs. 4,18,500 /-
6	RFX- 30000 52405	Work of structural up-gradation and rehabilitation of reversible yard conveyor in coal handling plant.	Rs. 3,50,00,000/-
	Coal Handling Plant		Rs. 3,53,500 /-
7	RFX- 30000 52404	Retrofitting and up-gradation of Dewatering system in CHP-BTPS.	Rs. 3,26,00,000/-
	Coal Handling Plant		Rs. 3,29,500/-

Tender Cost is Rs 1,180/- (Including GST). For details please visit <https://eprocurement.mahagenco.in/>.


Chief Engineer (O&M) ,
BTPS, Deepnagar.

OFFICE NOTE:**SUB. : Names of Newspapers for Advertisement.****REF. :** The e-mail message received from Executive Engineer (RP), BTPS vide Letter No. CE(O&M)/BTPS/RP/Newspaper Names/1086, dtd. 11/10/2024.**Title of Work :** Total 7 Nos. of various e-tenders of works & supply items at Bhusawal TPS.
(Total Value Rs. 72.88 Lakhs Only).

In view of the above referred Office Note / Letter, we may suggest the following newspapers regarding publishing Advts.

SR. NO.	NAME OF THE NEWSPAPERS	EDITIONS
1	TIMES OF INDIA	MUMBAI, DELHI, NAGPUR
2	LOKMAT	NAGPUR, CHHATRAPATI SAMBHAJI NAGAR
3	BHASKAR	MUMBAI, NAGPUR, AKOLA
4	DIVYA MARATHI	NASHIK, JALGAON, DHULE
5	AAPLA MAHANAGAR	MUMBAI
6	DESHDOOT	JALGAON

NOTE - Please send Advt. matter to M/s. Shark Advertising Pvt. Ltd., Mumbai to publish above Sr. No. 1 to 6 on DGIPR / DAVP Rates; as per existing Work Order issued vide CPC/PRO/WO/Appointment/ Advt. Agency/2023-25/DGIPR-DAVP-Govt. Rates/91/3333, Dtd. 12/04/2023 and Continuation Letter No. CP&C/PRO/Advt. Agency/Continuation/Shark Advertising Pvt. Ltd./106/3813, dtd. 10/04/2024.

Please inform to the undersigned for corrigendum if any to be published regarding this Tender Notice. The corrigendum if any must to be publish in above newspapers only.

As per Office Note No. HR/PRO/Advt. 07-08/03, dtd. 04/04/2007, the concerned Executive Director is the competent authority for finalizing and approving names of newspapers suggested by Public Relations Officer.

ED (O&M-I) 1050
Date :- 15/10/2024

Executive Director (O&M - I)

Asst. Public Relations Officer