

MAHARASHTRA STATE POWER GENERATION CO. LTD.

NASHIK THERMAL POWER STATION

Certified- ISO 9001:2015, ISO 14001: 2015, OH&S MS 45001:2018 Office of the Chief Engineer, NTPS, Eklahare, Nashik-422105 Phone: 0253-2810291- 99, Personal: 0253- 2810071 E-mail: cegennashik@mahagenco.in



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/13

%002698 Date

5 MAY 2025

To,
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2<sup>nd</sup> Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No.: 9763133550

Sub: -Publication of e-Tender Notice: -N-2025-26/13

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender notice no. N-2025-26/13 for publication in following newspapers,

- 1. DIVYA MARATHI, NASHIK
- 2. VRUTTMANAS. MUMBAI
- 3. INDIAN EXPRESS, PUNE
- 4. MATRUBHUMI, AKOLA
- 5. PRABHAT, PUNE
- 6. SHIVNER, MUMBAI

Please insert the enclosed <u>Tender Notice</u> in the next immediate issue of your daily but in no case after the Date: - 97,05,2025 as per instructions given below:

- 1. The Advertisement shall be printed in English or Marathi Language only.
- 2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
- 3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
- 4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
- 5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
- 6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
- 7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
- 8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

- 9. Spacing/leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
- 10. Only one insertion is envisaged.
- 11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
  - b) The word "Maharashfra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
  - c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
- 12. Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.
- 13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
  - a) Two copies of your issue in which the advertisement is published.
  - b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
- 14. The advertise is to be published in minimum possible space. Thanking you,

Yours faithfully,

CHIEF ENGINEER NTPS, EKLAHARE

Enclosure: As above.

### Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL – Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

#### Copy to: (By E-mail)

- 1. NTPS, Intramail
- 2. Sr. Manager F&A (NTPS)
- 3. Nashik Training Centre, Nashik
- 4. on www.mahagenco.in
- 5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
- 6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
- 7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

<sup>\*\*\*</sup>With a request to arrange to display the enclosed tender Notice on your office Notice Board.

## e-TENDER No. NTPS/2025-26/13

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS.
1	3000057266	Annual work contract for Removal, Providing and application of thermal insulation at Unit no. 3, 4, 5 boiler and auxiliaries, as and when required basis.	32,19,516/-
	BM		35,700/-
2	3000057285	Providing and fixing of emergency/safety communication Two-way call point system for conveyors in CHP-II	48,85,000/-
	CHP		
3	3000057282	Work of Strengthening of wagon tippler-III hopper by application of chemical floor fill compound at CHP-III	52,350/-
	CHP		1,94,43,000/-
		T symposium Citi III	1.97.930/-

New vendors/vendors not register are requested to register their firms for e-tendering.

For more details log on to website.

Cost of Each Tender: -Rs.1180/-, Pl. visit at: https://eprocurement.mahagenco.in for more information & updates.

Chief Engineer, Nashik TPS

.....The matter below this line is not to be published.....

Chief Engineer, NTPS, Eklahare

# इ—निविदा सूचना क्र.ना.औ.वि.कें/२०२५-२६/१३

अ. क.	निविदा क. / विभाग	निविदा तपशील	अंदाजे रक्कम(रू.) इसारा रक्कम (रू.)
0	३००००५७२६६	युनिट क.३,४,५ च्या बॉयलर व ऑक्झिलरीजचे आवश्यकतेनुसार थर्मल इन्सुलेशन काढणे, पुरवणे व लावणे या कामाचे वार्षिक कंत्राट.	
1	बीएम		37,89,488/-
	3000049264	सीएचपी २च्या कन्व्हेयर साठी इमर्जन्सी/ सेफ्टी कम्युनिकेशन टु वे कॉल पॉईंट सिस्टीम पुरवणे व बसवणे.	34,600/-
2			86,64,000/-
	सीएचपी		42,340/-
3	3000049222	सीएचपी ३ येथे वॅगन टीपलर ३ चे केमिकल फ्लोरफिल कम्पाउंड लावून बळकटीकरणाचे काम.	2,98,83,000/-
	सीएचपी		2,99,930/-
आधक	तपशालासाठी वेबसाइट	o/— , अधिक माहिती व अद्यतनांसाठी कृपया <a href="https://eprocurement.mahagenco.in">https://eprocurement.mahagenco.in</a> येथे भेट द्यावी.	ाक औ.वि.केंद्र, एकल

्या रेषेखालील बाब / माहिती प्रकाशनाकरिता नाही.....

मुख्य अभियंता, नाशिक औ.वि.केंद्र



MAHARASHTRA STATE POWER GENERATION CO. LTD.

NASHIK THERMAL POWER STATION

Certified-ISO 9001:2015, ISO 14001: 2015, OH&S MS 45001:2018 Office of the Chief Engineer, NTPS, Eklahare, Nashik-422105 Phone: 0253-2810291- 99, Personal: 0253-2810071

E-mail: cegennashik@mahagenco.in



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/14

NO 2722

6 MAY 2025

To,"
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2<sup>nd</sup> Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No.: 9763133550

Sub: -Publication of e-Tender Notice: -N-2025-26/14

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir.

With reference to above, please find enclosed herewith a copy of the Tender notice no. N-2025-26/14 for publication in following newspapers,

- 1. GAVKARI, NASHIK
- 2. PUDHARI, MUMBAI
- 3. LOKSATTA, PUNE
- 4. PUNYANAGARI, AKOLA
- 5. MAHASAGAR, NAGPUR
- 6. LOKSHAHI, CHANDRAPUR

Please insert the enclosed <u>Tender Notice</u> in the next immediate issue of your daily but in no case after the Date: \_08\_05\_25.. as per instructions given below:

- 1. The Advertisement shall be printed in English or Marathi Language only.
- 2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
- 3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
- 4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
- 5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
- Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
- 7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
- 8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

- 5. Spacing/ leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
- 10. Only one insertion is envisaged.
- 11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
  - b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
- c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
- 12. Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.
- 13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
  - a) Two copies of your issue in which the advertisement is published.
  - b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
- 14. The advertise is to be published in minimum possible space. Thanking you,

Yours faithfully,

CHIEF ENGINEER NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL - Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

### Copy to: (By E-mail)

- 1. NTPS, Intramail
- 2. Sr. Manager F&A (NTPS)
- 3. Nashik Training Centre, Nashik
- 4. on www.mahagenco.in
- 5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
- 6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
- 7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

<sup>\*\*\*</sup>With a request to arrange to display the enclosed tender Notice on your office Notice Board.

# e-TENDER No. NTPS/2025-26/14

Sr. No	RFx NO. / SECTION	TENDER OF ECHTERITORY	ESTIMATE RS. EMD RS.
1 *	9000097369	Work contract for providing & application of Anti Corrosive protection coating for supporting	29,46,300/-
_	ODP	structure & pipeline at WTP area	32.970/-
2	3000057340	Work for Providing and fixing of belt tracking impact kit for transfer point of conveyor belts at CHP, NTPS.	1,97,00,000/-
	СНР		2,00,500/-
3	3000057345	Work for on-line thorough of adhered contaminants from all types of HT/LT panels, relay and	18,87,350/-
	CHP	control panels installed at various locations in CHP using NCCC technique	22,400/-

New vendors/ vendors not register are requested to register their firms for e-tendering. For more details log on to website.

Cost of Each Tender: -Rs.1180/-, Pl. visit at: https://eprocurement.mahagenco.in for more information & updates.

Chief Engineer, Nashik TPS

Chief Engineer, NTPS, Eklahare

# इ—निविदा सूचना क्र.ना.औ.वि.कें/२०२५—२६/१४

अ. क्.	निविदा क. / विभाग	निविदा तपशील	अंदाजे रक्कम(रू.) इसारा रक्कम (रू.)
	300009686	डब्ल्यूटीपी क्षेत्रात सहाध्यक संरचना आणि पाईपलाईनसाठी ॲन्टी संरक्षण कोटिंग प्रदान करणे आणि लागू करण्यासाठी कार्य करार	
8	ओडीपी		२९,४६,३००/—
	1.2.11		37,990/-
۹ ,	3000049380		2,99,00,000/-
. *	सीएचपी		2,00,400/-
	3000049384	पॅनेल, रिले आणि कंट्रोल पॅनेलमधील चिकटलेल्या दुषित घटकांची ऑनलाईन कसून तपासणी करण्याचे	22,29,340/-
3	सीएचपी		२२,४००/—

नविन विक्रते / नोंदणी नसलेल्या विक्रेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई—टेंडरिंगसाठी नोंदणी करावी. अधिक तपशीलांसाठी वेबसाइटवर लॉग इन करा.

प्रत्येक निविदा किंमत रू. ११८०/— , अधिक माहिती व अद्यतनांसाठी कृपया https://eprocurement.mahagenco.in येथे भेट द्यावी.

मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे

्या रेषेखालील बाब/माहिती प्रकाशनाकरिता नाही.....

मुख्य अभियंता, नाशिक औ.वि.केंद्र