

MAHARASHTRA STATE POWER GENERATION CO. LTD.
NASHIK THERMAL POWER STATION

Certified-ISO 9001:2015, ISO 14001: 2015, OH&S MS 45001:2018 Office of the Chief Engineer, NTPS, Eklahare, Nashik-422105 Phone: 0253-2810291- 99, Personal: 0253-2810071



3 MAR 2025

E-mail: cegennashik@mahagenco.in

Ref. No.CE/NTPS/RMC/e-Tender/SRM/2024-25/65 No O 1 5 2 Z Date:

To, M/s. Giri Media Services Pvt. Ltd., 205/206, 2nd Floor, Benchmark, Shri Shri Ravi Shankar Marg, Nr. DGP Nagar, Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No.: 9763133550

Sub: -Publication of e-Tender Notice: -N-2024-25/65

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender notice no. N-2024-25/65 for publication in following newspapers,

- 1. PUNYNAGARI, NASHIK
- 2. LOKMAT, AKOLA
- 3. DESHONNATI, NAGPUR
- 4. SANDHYA, PUNE
- 5. DESHDOOT, JALGAON
- 6. SHIVNER, MUMBAI

Please insert the enclosed <u>Tender Notice</u> in the next immediate issue of your daily but in no case after the **Date**: -16.10.3)25 as per instructions given below:

- 1. The Advertisement shall be printed in English or Marathi Language only.
- 2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
- 3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
- 4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
- 5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
- 6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
- 7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.

- 8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.
- 9. Spacing/leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
- 10. Only one insertion is envisaged.
- 11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
 - b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
 - c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
- 12. Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.
- 13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
 - a) Two copies of your issue in which the advertisement is published.
 - b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
- 14. The advertise is to be published in minimum possible space. Thanking you,

Yours faithfully,

CHIEF ENGINEER NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL - Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to: (By E-mail)

- 1. NTPS, Intramail
- 2. Sr. Manager F&A (NTPS)
- 3. Nashik Training Centre, Nashik
- 4. on www.mahagenco.in
- 5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
- 6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
- Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

***With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2024-25/65

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1 *	3000055722	Biyearly work contract for services of Daily cleaning works for Unit # 4 Turbine House &	68,97,935/-
	OS	PCR at Stage-II, NTPS, Eklahare.	72,479/-
2	30000 5585	3 Work of providing and fixing microprocessor based multisensor intelligent system at CHP-II	178,65,210/-
	CHP	and CHP-III	1,82,200/-
3	30000 5585	Work of Modification, Upgradation, Retrofitting/ Restoration along with associated	44,55,000/-
	TM	accessories and misc. allied works for Boiler Feed Pump Working Oil Cooler at TM-II NTPS.	48,050/-

New vendors/ vendors not register are requested to register their firms for e-tendering.

For more details log on to website.

Cost of Each Tender: -Rs.1180/-, Pl. visit at: https://eprocurement.mahagenco.in for more information & updates.

Chief Engineer, Nashik TPS

.The matter below this line is not to be published.....

Chief Engineer, NTPS, Eklahare

इ—निविदा सूचना क्र.ना.औ.वि.कें/२०२४—२५/६५

अ. क.	निविदा क. / विभाग	निविदा तेपशील	अंदाजे रक्कम(रू.) इसारा रक्कम (रू.)
	3000044922	टप्पा २ मधील युनिट ४ टर्बाइन हाऊस आणि पीसीआर साठी दैनंदिन साफसफाईच्या कामांच्या सेवेसाठी	EC,99,934/-
१	ओएस	द्विवार्षिक कामाचा करार.	62,868/-
2 -	30000 9945	पुर्वे मायकोप्रोसेसर आधारित मल्टीसेन्सरी इंटिलेजंट सिस्टम प्रदान करणे आणि निश्चित करणे.	
, ,	सीएचपी	न नायकाप्रातिकर जायास्य मस्टाक्करा इंटरजाट सिस्टम प्रदान करण आणि निरंचत करण.	१,८२,२००/-
3	30000994	वॉयलर फीड पंम्प वर्किंग ऑईल कुलरसाठी सुधारणा, अपग्रेडेशन, रेट्रोफिटिंग/ जीर्णोध्दार तसेच संबधीत ॲक्सेसरीज	88,44,000/-
4	टिएम	आणि विविध काम.	86.040/-

प्रत्येक निविदा किंमत रू. ११८०/— , अधिक माहिती व अद्यतनांसाठी कृपया https://eprocurement.mahagenco.in येथे भेट द्यावी.

.....या रेषेखालील बाब/माहिती प्रकाशनाकरिता नाही.....

मुख्य अभियंता, नाशिक औ.वि.केंद्र

मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे



MAHARASHTRA STATE POWER GENERATION CO. LTD.
NASHIK THERMAL POWER STATION

Certified- ISO 9001:2015, ISO 14001: 2015, OH&S MS 45001:2018 Office of the Chief Engineer, NTPS, Eklahare, Nashik-422105 Phone: 0253-2810291- 99, Personal: 0253- 2810071

E-mail: cegennashik@mahagenco.in



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2024-25/66

No 0 1 5 2 8 Date:

1 3 MAR 2025

To, *
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2nd Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No.: 9763133550

Sub: -Publication of e-Tender Notice: -N-2024-25/66

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender notice no. N-2024-25/66 for publication in following newspapers,

- 1. PUNYNAGARI, NASHIK
- 2. PRAHAR, MUMBAI
- 3. DESHONNATI, NAGPUR
- 4. DIVYA MARATHI, AKOLA
- 5. PRABHAT, PUNE
- 6. LOKMANTHAN, AHMEDNAGAR

Please insert the enclosed <u>Tender Notice</u> in the next immediate issue of your daily but in no case after the **Date**: - .1819.3125 as per instructions given below:

- 1. The Advertisement shall be printed in English or Marathi Language only.
- 2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
- 3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
- 4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
- 5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
- Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
- 7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
- 8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

- 9. Spacing/ leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
- 10. Only one insertion is envisaged.
- 11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
- b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
 - c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
- 12. Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.
- 13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
 - a) Two copies of your issue in which the advertisement is published.
 - b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
- 14. The advertise is to be published in minimum possible space. Thanking you,

Yours faithfully,

CHIEF ENGINEER NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL - Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to: (By E-mail)

- 1. NTPS, Intramail
- 2. Sr. Manager F&A (NTPS)
- 3. Nashik Training Centre, Nashik
- 4. on www.mahagenco.in
- 5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
- 6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
- Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

^{***}With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2024-25/66

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1 *	30000 5585	Work of providing & fixing of coal flow establishment system for transfer chutes at CHP	216,00,000/-
	CHP		2,19,500/-
2	300005595	Work of revamping, renovation and restoration of existing Siemens make microprocessor-	54,99,388/-
	Tesing	based fire protection system at Unit no.3 at NTPS, Eklahare, Nashik	58,500/-
3	3000055721	Biyearly work contract of removing & disposal of sludge/settled ash from various locations in	28,11,280/-
	OS	powerhouse premises at stage -II, NTPS	31,613/-

New vendors/vendors not register are requested to register their firms for e-tendering. For more details log on to website.

Cost of Each Tender: -Rs.1180/-, Pl. visit at: https://eprocurement.mahagenco.in for more information & updates.

Chief Engineer, Nashik TPS

..The matter below this line is not to be published.....

Chief Engineer, NTPS, Eklahare

इ—निविदा सूचना क्र.ना.औ.वि.कें/२०२४—२५/६६

१ ३०००० पुर्ध सीएचपी येथे ट्रान्सफर च्युटससाठी कोळसा प्रवाह स्थापना प्रणाली प्रदान करणे आणि निश्चित करणे. २१६,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,० २१९,०	राजे रक्कम(रू.)
२,१९, ३०००० ५५८५ संच क. ३ मध्ये मायकोप्रोसेसर आधारित विदयमान सिमेन्स मेक अग्निसुरक्षा प्रणालीची सुधारणा, नृतनीकरण आणि देस्टिंग पुर्नसंचयित करण्याचे काम.	इसारा रक्कम (रू.)
२,१९, विद्यमान सिमेन्स मेक अग्निसुरक्षा प्रणालीची सुधारणा, नृतनीकरण आणि ५४,९९ टेस्टिंग पुर्नसंचयित करण्याचे काम.	€,00,000/-
टेस्टिंग पुर्नसंचयित करण्याचे काम.	9,400/-
३०००५५५२१ स्टेज २ सेशिक पावर तास्त्रास्या विकिश विस्तामाना स्तर्भ के के के के	,99,366/-
३००००५५७२१ स्टेज २ येथिल पावर हाऊसच्या विविध ठिकाणाहून स्लज् सेटल्ड ॲंग काढणे व त्याची विन्हेवार लावायामारी	,400/
25.25	,88,760/-
अोएस द्विवार्षिक कन्नाट. ३२,६२ विन विकेते / नोंदणी नसलेल्या विकेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई—टेंडरिंगसाठी नोंदणी करावी.	, ६१३/—

्या रेषेखालील बाब/माहिती प्रकाशनाकरिता नाही.....

मुख्य अभियंता, नाशिक औ.वि.केंद्र

मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे