

MAHARASHTRA STATE POWER GENERATION COMPANY LTD.

Bhusawal Thermal Power Station, Deepnagar.

(A Govt. Of Maharashtra Undertaking)

CIN: U40100MH2005SGC153648

An ISO 9001:2015, ISO 14001:2015

ISO 45001:2018, EnMS 50001:2011

Certified Units

Office of

The Chief Engineer (O&M)

Bhusawal Thermal Power Station

Deepnagar, Tal. - Bhusawal

Dist - Jalgaon (M.S.) PIN - 425307

Dispatch
RP Section

MAHAGENCO
Maharashtra State Power Generation Co. Ltd.

No. BTPS/CE (O&M)/RP/Press Release/Tender Notice No. **92/2025-26**

No

1 1 6 8

Date: **24/09/2025**

124 SEP 2025

To,

M/s. Giri Media Services Pvt Ltd.

205/206, 2nd Floor, Benchmark,

Shri Shri Ravishankar Marg, 7

DGP Nagar No.1, Nashik- 422006

Contact: 0253 29585858

Mail ID: response@girimedia.ina

Subject: Publication of Rfx Notice No. **92/2025-26**

Reference: T.O. Order No. BTPS/4550025885/ No. 0350 Dated 31-05-2025.

Dear Sir,

With reference to above, please find enclosed herewith a copy of the Tender Notice for publication in following newspapers.

Sr. No	Newspaper	City
1	D. Sakal	Mumbai
2	D. Tarun Bharat	Nagpur
3	D. Lokmat	Aurangabad
4	D. Deshonnati	Jalgaon
5	D. Sarvmat	Ahilyanagar
6	D. Lokasahi	Jalgaon

Please insert the enclosed Tender Notice in the next immediate issue of daily, but in no case after the date **25/09/2025** as per instructions given below:

s

1. The Advertisement shall be printed in English or Marathi language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For a single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left hand corner at the top of the advertisement.
4. In case of single column advertisement, the Heading such as "Tender Notice/corrigendum" & "Tender Specifications No." should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice / Corrigendum" & "Tender Specifications No." should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.

PHONE: - (02582) 250207.

FAX No.: - (02582) 250308.

Website : www.mahagenco.in


Email: cegenbhusawal@mahagenco.in

8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case it should exceed 10 points for English and 12 points for Marathi.
9. Spacing / leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co. Ltd." shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No / Telephonic address / Telephone Number & Name of Officer shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Enclosure: As above.

Yours faithfully,


Chief Engineer (O&M)
BTPS, Deepnagar

Copy f.w.cs. to: (By E-mail)

1. The Chief Engineer (O&M), Koradi/Chandrapur/Khaperkheda/Parli/Nasik/ Paras/Uran.
2. The Chief Engineer, Civil-II /Gen Constn. /Training Center, Koradi /Nashik.

Copy to: (By E-mail)

1. Dy. Chief Engineer (210 MW & 2x500MW), BTPS, Bhusawal.
2. SE (210 MW & 2x500MW), BTPS, Bhusawal.
3. System Analyst (IT), BTPS --- Kindly arrange to publish this e-tender notice on www.mahagenco.in under Bhusawal Tenders.
4. Sr. Manager(F&A), BTPS
5. Public Relation Officer, Mahagenco, Prakash Garh, Bandra (E), Mumbai-51.
6. EE (CHP / EM / C&I / TM/ BM/ VM/ Technical/WTP/ MS/FQAD/ WTP/ Safety/ OS/Civil/ AHP/MPD), BTPS 2x500MW & 210 MW, Bhusawal.
7. Executive Chemist / Medical Superintendent / Welfare Officer / Dy. CFO BTPS Bhusawal.
8. Other private / Government Power Plants / State Electricity Board (NTPC, Tata Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujarat Electricity Board (GEB), etc)

**** With a request to arrange to display the enclosed Tender Notice on your Office Notice-Board.**

9. Notice Board: All Sections, BTPS.

Date- 24-09-2025

E-Tender Notice No. **92/ 2025-26**

Online Tenders are invited from Bhusawal Thermal Power Station for the following supply/works.

Sr. No	(e-Tender) Rfx No. / Section Name	Tenders Specification	Estimated value of tender /EMD (Rs.)
1	RFX- 3000061894	Hiring of special Purpose cleaning machines (Ride on Swiper machines) for day-to-day cleaning for the period of two years required at 500MW of BTPS.	Rs.2,01,60,000/-
	Safety		Rs. 2,05,100/-
2	RFX- 3000061751	Work of Upgradation and modification of Microprocessor-Based Multisensor Control and Annunciation System at CHP 210MW Unit, BTPS.	Rs: 1,97,80,000/-
	Fire Fighting		Rs.2,01,300/-
3	<u>RFX- 3000061893</u>	Work of Providing and Applying fire-retardant cable coating on cables and fire stop mortar coal in wall floor openings at all cable Galleries of 210MW and 500MW of BTPS.	<u>Rs: 1,18,07,100/-</u>
	Safety		Rs. 1,21,600/-
4	<u>RFX- 3000061961</u>	Work of Rectification and Replacement of Remaining M.S. Grills of Coal feeder, Soot Blower and Coal Mill area of U-4&5 of BTPS.	<u>Rs: 1,40,65,000/-</u>
	Safety		Rs. 1,44,200/-
5	RFX- 3000061740	Procurement of Fine Chemicals for WTP 2x500MW, Coal testing section & WTP 660MW at BTPS.	Rs.49,76,038/-
	Water Treatment Plant		Rs. 53,300/-
6	<u>RFX- 3000061613</u>	Bi- Yearly Contract for condition monitoring and pulley greasing in Zone B at CHP,2x500MW, BTPS,Deepnagar.	<u>Rs.44,99,320 /-</u>
	<u>Coal Handling Plant</u>		Rs. 48,500/-
7	<u>RFX- 3000061547</u>	Procurement of lube oil pumps and mechanical seals for ID, FD, PA, Fans, APH & Coal Mill at Unit-6, 660MW,BTPS,Bhusawal	<u>Rs.32,20,230/-</u>
	<u>Boiler Maintenance</u>		Rs. 35,700/-
8	<u>RFX- 3000061522</u>	Bi-Yearly maintenance contract for Electrical maintenance work of soot blower system of 2x500MW Unit No.4 & 5 BTPS.	<u>Rs.31,03,273/-</u>
	<u>Electrical Maintenance</u>		Rs. 34,500/-

Tender Cost is Rs 1,180/- (Including GST). For details, please visit <https://eprocurement.mahagenco.in/>.


Chief Engineer (O&M) ,
BTPS, Deepnagar.

सावळ औष्णिक विद्युत केंद्राकडून खालील पुरवठा / कामांसाठी ऑनलाईन निविदा मागविल्या जात आहेत.

अनु.क्र.	निविदा क्र. / विभाग	निविदा तपशील	निविदेची अंदाजित किंमत / बयाना रक्कम (रु.)
१	३००००६१८९४ सुरक्षा विभाग ५०० मे. वॅ. २x५०० मे. वॅ.	भु.औ.वि.केंद्र ५०० मेगावॅट क्षमतेच्या दोन वर्षांच्या कालावधीसाठी दैनंदिन स्वच्छतेसाठी विशेष उद्देश स्वच्छता यंत्रे (राइड ऑन स्वाइपर मशीन) भाड्याने घेणे.	रु २,०१,६०,०००/- रु. २,०५,१००/-
२	३००००६१७५१ आग्निशमन विभाग ५०० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर आग्निशमन विभाग ५०० मे. वॅ. येथे मायक्रोप्रोसेसर-आधारित मल्टीसेन्सर नियंत्रण आणि घोषणा प्रणालीच्या अपग्रेडेशन आणि सुधारणाचे काम.	रु. १,९७,८०,००० /- रु. २,०१,३००/-
३	३००००६१८९३ सुरक्षा विभाग २x५०० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर येथे २१० मेगावॅट आणि ५०० मेगावॅट क्षमतेच्या सर्व केबल गॅलरीमध्ये केबलसवर मोटार कोळसा आणि भिंतीच्या फरशीच्या फटीमध्ये अग्निरोधक केबल कोटिंग प्रदान	रु. १,१८,०७,१००/- रु.१,२१,६००/-
४	३००००६१८९३ सुरक्षा विभाग २x५०० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर येथे युनिट -४ आणि ५ च्या कोळसा फीडर, सूट ब्लोअर आणि कोळसा मिल क्षेत्रातील उर्वरित एम.एस. ग्रील्सच्या दुरुस्ती आणि बदलीचे काम.	रु. १,४०,६५,०००/- रु.१,४४,२००/-
५	३००००६१७४० जल संधारण विभाग २x ५०० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर येथे २x५०० मेगावॅट, कोळसा चाचणी विभाग आणि जल संधारण विभाग ६६० मेगावॅटसाठी फाईन केमिकल्स खरेदी	रु.४९,७६,०३८/- रु.५३,३००/-
६	३००००६१६१३ कोळसा हाताळणी विभाग २x ५०० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर येथील २x५०० मेगावॅट झोन B मध्ये कंडिशन मॉनिटरिंग आणि पुली ग्रीसिंगसाठी द्विवार्षिक करार.	रु ४४,९९,३२०/- रु. ४८,५००/-
७	३००००६१५४७ बाष्पक संधारण १ x६६० मे. वॅ.	भु.औ.वि.केंद्र दीपनगर ६६० मेगावॅट युनिट-६, येथे आयडी, एफडी, पीए, पंप, ए पीएच आणि कोल मिलसाठी ल्युब ऑइल पंप आणि मेकॅनिकल सीलची खरेदी	रु.. ३२,२०,२३०/- रु.३५,७०० /-
८	३००००६१५२२ विद्युत परिरक्षण व चाचणी विभाग २x५००मे. वॅ.	भु.औ.वि.केंद्र दीपनगर येथील क्षमतेच्या युनिट क्रमांक ४ आणि ५ बीटीपीएसच्या सूट ब्लोअर सिस्टमच्या विद्युत देखभाल कामासाठी द्विवार्षिक देखभाल करार.	रु.३१,०३,२७३ /- रु.३४,५००/-

निविदा खर्च १,१८०/- (जीएसटी सहित) आहे. अधिक माहितीसाठी कृपया भेट द्या. <https://eprocurement.mahagenco.in/>.



मुख्य अभियंता (सं.आणि सु.),
भु. औ. वि. कें, दीपनगर.