



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/09

No 02601

Date:

24 APR 2025

To,
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2nd Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No. :9763133550

Sub: -Publication of e-Tender Notice: -N-2025-26/09

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the **Tender notice no. N-2025-26/09** for publication in following newspapers,

1. PUNYNAGARI, NASHIK
2. LOKMAT, AKOLA
3. DESHONNATI, NAGPUR
4. SANDHYA , PUNE
5. DESHDOOT, JALGAON
6. SHIVNER, MUMBAI

Please insert the enclosed **Tender Notice** in the next immediate issue of your daily but in no case after the Date: - 28/04/25 as per instructions given below:

1. The Advertisement shall be printed in English or Marathi Language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

9. Spacing/ leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Yours faithfully,



**CHIEF ENGINEER
NTPS, EKLAHARE**

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL – Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to : (By E-mail)

1. NTPS, Intramail
2. Sr. Manager F&A (NTPS)
3. Nashik Training Centre, Nashik
4. on www.mahagenco.in
5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

***With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2025-26/09

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1	3000056911	Work contract for complete reconditioning & refurbishment of spares in U#3,4 & 5 at ODP-II	64,33,200/-
	ODP		67,840/-
2	3000056941	Work of Bunker Hopper strengthening by chemical floor fill compound at CHP-II	1,94,43,000/-
	CHP		1,98,000/-
3	3000056874	Erection, Fabrication, Welding, Cutting & Painting of Firing Floor Cabins at Unit –3,4,5 NTPS Eklahare	15,14,586/-
	OS		18650/-
New vendors/ vendors not register are requested to register their firms for e-tendering. For more details log on to website. Cost of Each Tender: -Rs.1180/- , Pl. visit at: https://eprocurement.mahagenco.in for more information & updates. Chief Engineer, Nashik TPS			

.....The matter below this line is not to be published.....


Chief Engineer,
NTPS, Eklahare

इ-निविदा सूचना क्र.ना.औ.वि.कें/२०२५-२६/०९

अ. क्र.	निविदा क्र. / विभाग	निविदा तपशील	अंदाजे रक्कम(रु.) इसारा रक्कम (रु.)
१	३००००५६९११ ओडीपी	ओडीपी २ येथे युनिट ३,४ आणि ५ मधील स्पेअर्सचे पूर्ण रिक्विझिनिंग आणि नूतनीकरणासाठी कार्य करार.	६४,३३,२००/- ६७,८४०/-
२	३००००५६९४१ सीएचपी	सीएचपी येथे रासायनिक फ्लोअर फिल कंपाउंडव्दारे बंकर हॉपर मजबुत करण्याचे काम.	१,९४,४३,०००/- १,९८०००/-
३	३००००५६८७४ ओएस	युनिट ३,४,५ ला फायरींग फ्लोअर केबीनची उभारणी, फॅब्रिकेशन वेल्डिंग, कटिंग आणि रंगकाम.	१५,१४,५८६/- १८,६५०/-

नविन विक्रेते / नोंदणी नसलेल्या विक्रेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई-टेंडरिंगसाठी नोंदणी करावी.
अधिक तपशीलांसाठी वेबसाइटवर लॉग इन करा.
प्रत्येक निविदा किंमत रु. ११८०/- , अधिक माहिती व अद्यतनांसाठी कृपया <https://eprocurement.mahagenco.in> येथे भेट द्यावी.
मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे

.....या रेपेखालील बाब/माहिती प्रकाशनाकरिता नाही.....


मुख्य अभियंता,
नाशिक औ.वि.केंद्र



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/10

Date:

06571

12 6 APR 2025

To,
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2nd Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No. :9763133550

Sub: -Publication of e-Tender Notice: -N-2025-26/10

Ref: - T.O. RefNo. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the **Tender notice no. N-2025-26/10** for publication in following newspapers,

1. LOKMAT,NASHIK
2. SAMNA,PUNE
3. HITWAD ,NAGPUR
4. NAVSHAKTI,MUMBAI
5. DESHONNATI,JALGAON
6. VARTA, DHULE

Please insert the enclosed **Tender Notice** in the next immediate issue of your daily but in no case after the Date: - 29/04/25 as per instructions given below:

1. The Advertisement shall be printed in English or Marathi Language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

- Spacing/ leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
12. **Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.
- Thanking you,

Yours faithfully,


CHIEF ENGINEER
NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL – Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to : (By E-mail)

1. NTPS, Intramail
2. Sr. Manager F&A (NTPS)
3. Nashik Training Centre, Nashik
4. on www.mahagenco.in
5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc


*** With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2025-26/10

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1	3000056987	Work of Inspection & rectification of safety measures at Unit 3 boiler side	59,22,000/-
	BM		62,720/-
2	3000057036	Surveying, Planning, Supply, Testing, Installation and Commissioning of Fire alarm and smoke detection system at Admin Building, NTPS, Eklahare.	54,45,774/-
	Safety/FF		57,960/-
3	3000057035	Repairing, modification & commissioning of multifunctional control system and annunciation work /HMI communication work at ESP of Unit 5 at NTPS Eklahare Nashik.	1,76,60,000/-
	Testing		1,80,100/-

New vendors/ vendors not register are requested to register their firms for e-tendering.
For more details log on to website.
Cost of Each Tender: -Rs.1180/- , Pl. visit at: <https://eprocurement.mahagenco.in> for more information & updates.
Chief Engineer, Nashik TPS

.....The matter below this line is not to be published.....


**Chief Engineer,
NTPS, Eklahare**

इ-निविदा सूचना क्र.ना.औ.वि.कें/२०२५-२६/१०

अ. क्र.	निविदा क्र. / विभाग	निविदा तपशील	अंदाजे रक्कम(रु.) इसारा रक्कम (रु.)
१	३००००५६९८७ बीएम	युनिट ३ बायलरच्या बाजुला सुरक्षा उपायांची तपासणी आणि दुरुस्तीचे काम.	५९,२२,०००/- ६२,७२०/-
२	३००००५७०३६ सेफ्टी/एफएफ	एनटीपीएस येथील प्रशासन भवनात अग्निशमन अलार्म आणि धुर शोधक यंत्रणेचे सर्वेक्षण नियोजन, पुरवठा चाचणी सापना आणि कार्यान्वित करणे.	५४,४५,७७४/- ५७,९६०/-
३	३००००५७०३५ टेस्टिंग	संच क ५ च्या ईएसपीमध्ये मल्टीफंक्शनल कंट्रोल सिस्टीमची दुरुस्ती, बदल आणि कार्यान्वित करणे आणि घोषणा/कार्य/एचएमआय कम्युनिकेशन कार्य.	१७६,६०,०००/- १८०,१००/-

नविन विक्रेते / नोंदणी नसलेल्या विक्रेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई-टेंडरिंगसाठी नोंदणी करावी.
अधिक तपशीलांसाठी वेबसाइटवर लॉग इन करा.
प्रत्येक निविदा किंमत रु. ११८०/- , अधिक माहिती व अद्यतनांसाठी कृपया <https://eprocurement.mahagenco.in> येथे भेट द्यावी.
मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे

.....या रेखेखालील बाब/माहिती प्रकाशनाकरिता नाही.....



मुख्य अभियंता,
नाशिक औ.वि.केंद्र